


NVR - Business Use Only

2302-0160

City of Parkland Building Division Window/Door Product Approval Schedule											
Job Info MJ 0875	Ryan Homes										
	Name	Parkland Falls - 8169 LIBERTY WAY; SABAL GRANDE ELA									
Window Door #	Address	Windows and Doors									
		Product Approval NOA #	Design Pressure Approval (+) psf	Design Pressure per Product (-) psf	Structural Site Specific Design Pressure (+) psf	Structural Site Specific Design Pressure (-) psf	Shutter Req'd. Yes No	Horiz. Vert.	NOA #	Span in inches	Permit #
A	36 * 24	22-0105.01	80	80	37.8	-50.6	NO	N/A			
B	48 * 24	22-0105.01	80	80	38.3	-41.6	NO	N/A			
C	38 * 72	21-0526.02	65	80	36.2	-39.4	NO	N/A			
D	38 * 16	22-0105.01	80	80	37.8	-41	NO	N/A			
E	38 * 72	21-0526.02	65	80	36.2	-47.5	NO	N/A			
F	38 * 16	22-0105.01	80	80	37.8	-50.6	NO	N/A			
G	76 * 72	21-0526.02	65	80	34.5	-44	NO	VERT	20-1118.13		75
H	76 * 16	22-0105.01	80	80	37.8	-50.6	NO	N/A			
I	148 * 16	22-0105.01	80	80	36.6	-39.8	NO	N/A			
J	76 * 72	21-0526.02	65	80	34.5	-44	NO	VERT	20-1118.13		75
K	76 * 16	22-0105.01	80	80	37.8	-50.6	NO	N/A			
L	76 * 72	21-0526.02	65	80	34.5	-37.7	NO	VERT	20-1118.13		75
M	76 * 16	22-0105.01	80	80	37.8	-41	NO	VERT	20-1118.13		75
N	36 * 24	22-0105.01	80	80	37.8	-41	NO	N/A			
O	76 * 72	21-0526.02	65	80	34.5	-44	NO	VERT	20-1118.13		75
P	76 * 16	22-0105.01	80	80	37.8	-50.6	NO	VERT	20-1118.13		75
D1	192 * 96	20-1015.40	38	-42	31.5	-38.1	NO	N/A			
D2	36 * 96	FL20470.4	50	55	35.6	-38.8	NO	N/A			
D3	112 * 96	22-0118.05	50	50	32.9	36.1	NO	N/A			



MAR 02 2023

[Handwritten Signature]

use additional sheets if required
 9/3/21
 Design Prof: Architect
 Approval by A/E of Record
 Cert. No. A0012079
 Signature:
 Seal