


FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation - Residential Performance Method

<p>Project Name: Bianca -RH-Lot 432 - 12170 Bastille Cir S-rev Street: 12170 Bastille Cir S City, State, Zip: Parkland, FL, 33076 Owner: Design Location: FL, Fort Lauderdale</p>	<p>Builder Name: Permit Office: Parkland Permit Number: Jurisdiction: 163100 County: Broward(Florida Climate Zone 1)</p>																																																																																																																																																			
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">1. New construction or existing</td> <td style="width:30%;">New (From Plans)</td> <td style="width:40%;"></td> </tr> <tr> <td>2. Single family or multiple family</td> <td>Detached</td> <td></td> </tr> <tr> <td>3. Number of units, if multiple family</td> <td>1</td> <td></td> </tr> <tr> <td>4. Number of Bedrooms</td> <td>2</td> <td></td> </tr> <tr> <td>5. Is this a worst case?</td> <td>No</td> <td></td> </tr> <tr> <td>6. Conditioned floor area above grade (ft²)</td> <td>3122</td> <td></td> </tr> <tr> <td> Conditioned floor area below grade (ft²)</td> <td>0</td> <td></td> </tr> <tr> <td>7. Windows(750.8 sqft.)</td> <td>Description</td> <td>Area</td> </tr> <tr> <td> a. U-Factor:</td> <td>Sgl, U=1.07</td> <td>414.14 ft²</td> </tr> <tr> <td> SHGC:</td> <td>SHGC=0.28</td> <td></td> </tr> <tr> <td> b. U-Factor:</td> <td>Sgl, U=1.01</td> <td>144.00 ft²</td> </tr> <tr> <td> SHGC:</td> <td>SHGC=0.29</td> <td></td> </tr> <tr> <td> c. U-Factor:</td> <td>Sgl, U=1.01</td> <td>123.34 ft²</td> </tr> <tr> <td> SHGC:</td> <td>SHGC=0.34</td> <td></td> </tr> <tr> <td>Area Weighted Average Overhang Depth:</td> <td>4.001 ft</td> <td></td> </tr> <tr> <td>Area Weighted Average SHGC:</td> <td>0.289</td> <td></td> </tr> <tr> <td>8. Skylights</td> <td>Description</td> <td>Area</td> </tr> <tr> <td> U-Factor:(AVG)</td> <td>N/A</td> <td>N/A ft²</td> </tr> <tr> <td> SHGC(AVG):</td> <td>N/A</td> <td></td> </tr> <tr> <td>9. Floor Types</td> <td>Insulation</td> <td>Area</td> </tr> <tr> <td> a. Slab-On-Grade Edge Insulation</td> <td>R= 0.0</td> <td>3122.00 ft²</td> </tr> <tr> <td> b. N/A</td> <td>R=</td> <td>ft²</td> </tr> <tr> <td> c. N/A</td> <td>R=</td> <td>ft²</td> </tr> </table>	1. New construction or existing	New (From Plans)		2. Single family or multiple family	Detached		3. Number of units, if multiple family	1		4. Number of Bedrooms	2		5. Is this a worst case?	No		6. Conditioned floor area above grade (ft ²)	3122		Conditioned floor area below grade (ft ²)	0		7. Windows(750.8 sqft.)	Description	Area	a. U-Factor:	Sgl, U=1.07	414.14 ft ²	SHGC:	SHGC=0.28		b. U-Factor:	Sgl, U=1.01	144.00 ft ²	SHGC:	SHGC=0.29		c. U-Factor:	Sgl, U=1.01	123.34 ft ²	SHGC:	SHGC=0.34		Area Weighted Average Overhang Depth:	4.001 ft		Area Weighted Average SHGC:	0.289		8. Skylights	Description	Area	U-Factor:(AVG)	N/A	N/A ft ²	SHGC(AVG):	N/A		9. Floor Types	Insulation	Area	a. Slab-On-Grade Edge Insulation	R= 0.0	3122.00 ft ²	b. N/A	R=	ft ²	c. N/A	R=	ft ²	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">10. Wall Types(3448.5 sqft.)</td> <td style="width:30%;">Insulation</td> <td style="width:40%;">Area</td> </tr> <tr> <td> a. Concrete Block - Int Insul, Exterior</td> <td>R=4.1</td> <td>3045.50 ft²</td> </tr> <tr> <td> b. Frame - Wood, Adjacent</td> <td>R=11.0</td> <td>403.00 ft²</td> </tr> <tr> <td> c. N/A</td> <td></td> <td></td> </tr> <tr> <td> d. N/A</td> <td></td> <td></td> </tr> <tr> <td>11. Ceiling Types(3122.0 sqft.)</td> <td>Insulation</td> <td>Area</td> </tr> <tr> <td> a. Flat ceiling under att (Vented)</td> <td>R=38.0</td> <td>3122.00 ft²</td> </tr> <tr> <td> b. N/A</td> <td></td> <td></td> </tr> <tr> <td> c. N/A</td> <td></td> <td></td> </tr> <tr> <td>12. Roof(Barrel tile, Vented)</td> <td>Deck R=0.0</td> <td>3491 ft²</td> </tr> <tr> <td>13. Ducts, location & insulation level</td> <td>R</td> <td>ft²</td> </tr> <tr> <td> a. Sup: Attic, Ret: Attic, AH: Garage</td> <td>6</td> <td>363</td> </tr> <tr> <td> b.</td> <td></td> <td></td> </tr> <tr> <td> c.</td> <td></td> <td></td> </tr> <tr> <td>14. Cooling Systems</td> <td>kBtu/hr</td> <td>Efficiency</td> </tr> <tr> <td> a. Central Unit</td> <td>12.0</td> <td>SEER2:21.40</td> </tr> <tr> <td> b. Central Unit</td> <td>45.0</td> <td>SEER2:15.00</td> </tr> <tr> <td>15. Heating Systems</td> <td>kBtu/hr</td> <td>Efficiency</td> </tr> <tr> <td> a. Electric Heat Pump</td> <td>12.0</td> <td>HSPF2:9.20</td> </tr> <tr> <td> b. Electric Strip Heat</td> <td>34.1</td> <td>COP:1.00</td> </tr> <tr> <td>16. Hot Water Systems</td> <td></td> <td></td> </tr> <tr> <td> a. Natural GasTankless</td> <td></td> <td>Cap: 1 gallons</td> </tr> <tr> <td></td> <td></td> <td>EF: 0.790</td> </tr> <tr> <td> b. Conservation features</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>None</td> </tr> <tr> <td>17. Credits</td> <td></td> <td>Pstat</td> </tr> </table>	10. Wall Types(3448.5 sqft.)	Insulation	Area	a. Concrete Block - Int Insul, Exterior	R=4.1	3045.50 ft ²	b. Frame - Wood, Adjacent	R=11.0	403.00 ft ²	c. N/A			d. N/A			11. Ceiling Types(3122.0 sqft.)	Insulation	Area	a. Flat ceiling under att (Vented)	R=38.0	3122.00 ft ²	b. N/A			c. N/A			12. Roof(Barrel tile, Vented)	Deck R=0.0	3491 ft ²	13. Ducts, location & insulation level	R	ft ²	a. Sup: Attic, Ret: Attic, AH: Garage	6	363	b.			c.			14. Cooling Systems	kBtu/hr	Efficiency	a. Central Unit	12.0	SEER2:21.40	b. Central Unit	45.0	SEER2:15.00	15. Heating Systems	kBtu/hr	Efficiency	a. Electric Heat Pump	12.0	HSPF2:9.20	b. Electric Strip Heat	34.1	COP:1.00	16. Hot Water Systems			a. Natural GasTankless		Cap: 1 gallons			EF: 0.790	b. Conservation features					None	17. Credits		Pstat
1. New construction or existing	New (From Plans)																																																																																																																																																			
2. Single family or multiple family	Detached																																																																																																																																																			
3. Number of units, if multiple family	1																																																																																																																																																			
4. Number of Bedrooms	2																																																																																																																																																			
5. Is this a worst case?	No																																																																																																																																																			
6. Conditioned floor area above grade (ft ²)	3122																																																																																																																																																			
Conditioned floor area below grade (ft ²)	0																																																																																																																																																			
7. Windows(750.8 sqft.)	Description	Area																																																																																																																																																		
a. U-Factor:	Sgl, U=1.07	414.14 ft ²																																																																																																																																																		
SHGC:	SHGC=0.28																																																																																																																																																			
b. U-Factor:	Sgl, U=1.01	144.00 ft ²																																																																																																																																																		
SHGC:	SHGC=0.29																																																																																																																																																			
c. U-Factor:	Sgl, U=1.01	123.34 ft ²																																																																																																																																																		
SHGC:	SHGC=0.34																																																																																																																																																			
Area Weighted Average Overhang Depth:	4.001 ft																																																																																																																																																			
Area Weighted Average SHGC:	0.289																																																																																																																																																			
8. Skylights	Description	Area																																																																																																																																																		
U-Factor:(AVG)	N/A	N/A ft ²																																																																																																																																																		
SHGC(AVG):	N/A																																																																																																																																																			
9. Floor Types	Insulation	Area																																																																																																																																																		
a. Slab-On-Grade Edge Insulation	R= 0.0	3122.00 ft ²																																																																																																																																																		
b. N/A	R=	ft ²																																																																																																																																																		
c. N/A	R=	ft ²																																																																																																																																																		
10. Wall Types(3448.5 sqft.)	Insulation	Area																																																																																																																																																		
a. Concrete Block - Int Insul, Exterior	R=4.1	3045.50 ft ²																																																																																																																																																		
b. Frame - Wood, Adjacent	R=11.0	403.00 ft ²																																																																																																																																																		
c. N/A																																																																																																																																																				
d. N/A																																																																																																																																																				
11. Ceiling Types(3122.0 sqft.)	Insulation	Area																																																																																																																																																		
a. Flat ceiling under att (Vented)	R=38.0	3122.00 ft ²																																																																																																																																																		
b. N/A																																																																																																																																																				
c. N/A																																																																																																																																																				
12. Roof(Barrel tile, Vented)	Deck R=0.0	3491 ft ²																																																																																																																																																		
13. Ducts, location & insulation level	R	ft ²																																																																																																																																																		
a. Sup: Attic, Ret: Attic, AH: Garage	6	363																																																																																																																																																		
b.																																																																																																																																																				
c.																																																																																																																																																				
14. Cooling Systems	kBtu/hr	Efficiency																																																																																																																																																		
a. Central Unit	12.0	SEER2:21.40																																																																																																																																																		
b. Central Unit	45.0	SEER2:15.00																																																																																																																																																		
15. Heating Systems	kBtu/hr	Efficiency																																																																																																																																																		
a. Electric Heat Pump	12.0	HSPF2:9.20																																																																																																																																																		
b. Electric Strip Heat	34.1	COP:1.00																																																																																																																																																		
16. Hot Water Systems																																																																																																																																																				
a. Natural GasTankless		Cap: 1 gallons																																																																																																																																																		
		EF: 0.790																																																																																																																																																		
b. Conservation features																																																																																																																																																				
		None																																																																																																																																																		
17. Credits		Pstat																																																																																																																																																		
<p>Glass/Floor Area: 0.240</p>	<p>Total Proposed Modified Loads: 128.52 Total Baseline Loads: 138.07</p>	PASS																																																																																																																																																		
<p>I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.</p> <p>PREPARED BY: <u><i>Eric Struble</i></u> E-Calcs Plus, Inc</p> <p>DATE: <u>January 16, 2024</u></p> <p>I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.</p> <p>OWNER/AGENT: <u>Kathy Ingersoll</u></p> <p>DATE: <u>1/16/2024</u></p> <div style="font-size: 8pt; margin-top: 5px;"> Digitally signed by Kathy Ingersoll DN: cn=US, email=KIngersoll@khow.com, o="K Howardson Homes, LLC", ou="Permitting, CA-Kathy Ingersoll" Date: 2024.01.16 09:47:48-0500' </div>	<p>Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.</p> <div style="text-align: center;">  </div> <p>BUILDING OFFICIAL: <u><i>[Signature]</i></u></p> <p>DATE: <u>1/23/24</u></p>																																																																																																																																																			

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- 1 of the 1 duct systems requires a Duct Leakage Test Report. Systems with Default duct leakage do not require this report.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires a PERFORMANCE envelope leakage test report with envelope leakage no greater than 6.00 ACH50 (R402.4.1.2).