

NAME: MURRAY

SITE ADDRESS: 7571 NW 59 WAY

CONTACT #:

1 OPENING LOCATION ID	2 PRODUCT ACCEPTANCE NUMBER	3 PRODUCT APPROVAL PRESSURE RATING		4 REQUIRED DESIGN PRESSURE		5 OPENING SIZES		6 ZONE LOCATION		7 Impact Glazing		8 OPENING HAS EXISTING SHUTTERS		9 NEW SHUTTERS REQUIRED		10 MULLION TUBES REQUIRED	
		(+) PSF	(-) PSF	(+) PSF	(-) PSF	WIDTH X HEIGHT IN INCHES	AREA IN SQ FEET	4 INTER	5 END	YES	NO	YES	NO	YES	NO	YES	NO
		1	FL15768.11	55	60	38.0	-41.2	66 x 18	8.2	✓		✓		✓			✓
2	FL15780.8	55	65	38.0	-50.8	39 x 54	14.6		✓	✓		✓			✓	✓	
2A	FL15780.8	55	65	38.0	-50.8	39 x 54	14.6		✓	✓		✓			✓	✓	
3	FL23505.3	60	65	38.0	-41.2	35 x 23	5.5	✓		✓		✓			✓		✓
4	FL15780.8	55	65	38.0	-41.2	54 x 54	19.1	✓		✓		✓			✓		✓
5	FL15780.8	55	65	38.0	-41.2	36 x 49	12.2	✓		✓		✓			✓	✓	
5A	FL15780.8	55	65	38.0	-50.8	36 x 49	12.2		✓	✓		✓			✓	✓	
6	FL20838.1	50	50	38.0	-50.8	72 x 49	24.5		✓	✓		✓			✓		✓
7	FL20838.1	50	50	38.0	-50.8	95 x 79	52.1		✓	✓		✓			✓		✓
8	FL20838.1	50	50	38.0	-50.8	96 x 79	52.3		✓	✓		✓			✓		✓
9	FL15780.8	55	65	38.0	-50.8	52 x 54	19.5		✓	✓		✓			✓		✓

IDENTIFY OPENINGS ALPHABETICALLY OR NUMERICALLY ON ELEVATION SHEETS.

IDENTIFY VERTICALLY STACKED GLASS IN THE SAME OPENINGS FROM BOTTOM TO TOP WITH SUB NUMBERS (Example: A, A1, A2, ETC.).