

Office Copy

City of Parkland Building Division Window/Door Product Approval Schedule												
Window Door ID #	Name	Address	Rough Opening Size (w x h)	Product Approval				Structural Site Specific Design Pressure		Shutter Req.		Mullion Bars
				Design Approval (+) psf	Design Pressure per Product (-) psf	Design Pressure (+) psf	Design Pressure (-) psf	Yes	No	Horiz. Vert.	NOA #	
	Ryan Homes	Parkland Falls - 8189 LIBERTY WAY; SABAL GRANDE ELA										
• A	36 * 24		80	80	37.8	-50.6	NO	N/A				
• B	48 * 24		80	80	38.3	-41.6	NO	N/A				
• C	38 * 72		65	80	36.2	-39.4	NO	N/A				
• D	38 * 16		80	80	37.8	-41	NO	N/A				
• E	38 * 72		65	80	36.2	-47.5	NO	N/A				
• F	38 * 16		80	80	37.8	-50.6	NO	N/A				
• G	76 * 72		65	80	34.5	-44	NO	VERT	• 20-118.13	75		
• H	76 * 16		80	80	37.8	-50.6	NO	N/A				
• I	148 * 16		80	80	36.6	-39.8	NO	N/A				
• J	76 * 72		65	80	34.5	-44	NO	VERT	• 20-118.13	75		
• K	76 * 16		80	80	37.8	-50.6	NO	N/A				
• L	76 * 72		65	80	34.5	-37.7	NO	VERT	• 20-118.13	75		
• M	76 * 16		80	80	37.8	-41	NO	VERT	• 20-118.13	75		
• N	36 * 24		80	80	37.8	-41	NO	N/A				
• O	76 * 72		65	80	34.5	-44	NO	VERT	• 20-118.13	75		
• P	76 * 16		80	80	37.8	-50.6	NO	VERT	• 20-118.13	75		
• D1	192 * 96		38	-42	31.5	-38.1	NO	N/A				
• D2	36 * 96		50	55	35.6	-38.8	NO	N/A				
• D3	112 * 96		50	50	32.9	36.1	NO	N/A				

4/14/23



Use additional sheets if required
 9/3/21
 Approval by A/E of Record
 Design Prof. Architect
 Cert. No. A0012079



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL # FL20470-R3
Application Type Revision
Code Version 2020
Application Status Approved

D2

Comments
Archived

Product Manufacturer Therma-Tru Corporation
Address/Phone/Email 1750 Indian Wood Circle
Maumee, OH 43537
(800) 843-7628
sjasperson@thermatru.com

Authorized Signature Vivian Wright
rickw@rwbldgconsultants.com

Technical Representative
Address/Phone/Email

Quality Assurance Representative
Address/Phone/Email

Category Exterior Doors
Subcategory Swinging Exterior Door Assemblies

Compliance Method Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer
 Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report Lyndon F. Schmidt, P.E.

Florida License PE-43409
Quality Assurance Entity National Accreditation and Management Institute
Quality Assurance Contract Expiration Date 12/31/2026
Validated By Ryan J. King, P.E.
 Validation Checklist - Hardcopy Received

Certificate of Independence [FL20470_R3_COI_\(b\)_Certificate_of_Independence.pdf](#)

Referenced Standard and Year (of Standard)	Standard	Year
	ASTM D1929	1996
	ASTM D2843	1999
	ASTM D635	2003
	ASTM D638	1996
	ASTM E1300	2004
	ASTM E84	2000
	ASTM G26	1995
	ASTM G7	1997
	TAS 201, 202, 203	1994

Equivalence of Product Standards Certified By Florida Licensed Professional Engineer or Architect