


City of Parkland Building Division Window/Door Product Approval Schedule													
Job Info MC 0307	Name		Ryan Holmes										
	Address		Parkland Falls 7950 ROWAN TERR										
Window/Door ID #	Rough Opening Size (w x h)		Windows and Doors										
			Product Approval NOA #		Design Pressure per Product Approval		Structural Site Specific Design Pressure		Shutter Req.		Mullion Bars		
			(+) psf	(-) psf	(+) psf	(-) psf	(+) psf	(-) psf	Yes	No	Horiz. Vert.	NOA #	Span in inches
A	72 * 36	22-0105.01	80.0	80.0	80.0	40.6	44.0	NO	NO	N/A			
B	48 * 24	22-0105.01	80.0	80.0	80.0	40.6	44.0	NO	NO	N/A			
C	38 * 72	21-0526.02	65.0	80.0	80.0	38.9	42.3	NO	NO	N/A			
D	38 * 16	22-0105.01	80.0	80.0	80.0	40.6	44.0	NO	NO	N/A			
E	38 * 72	21-0526.02	65.0	80.0	80.0	38.9	50.9	NO	NO	N/A			
F	38 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
G	76 * 72	21-0526.02	65.0	80.0	80.0	37.0	47.3	NO	NO	VERT	20-1118.13	75	
H	76 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	VERT	20-1118.13	15	
I	144 * 16	22-0105.01	80.0	80.0	80.0	39.3	42.8	NO	NO	VERT	20-1118.13	15	
J	27 * 72	21-0526.02	80.0	80.0	80.0	38.9	52.7	NO	NO	N/A			
K	27 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
L	54 * 72	21-0526.02	65.0	80.0	80.0	38.0	49.1	NO	NO	N/A			
M	54 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
N	27 * 72	21-0526.02	65.0	80.0	80.0	38.9	52.7	NO	NO	N/A			
O	27 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
P	76 * 72	21-0526.02	65.0	80.0	80.0	37.0	47.3	NO	NO	VERT	20-1118.13	75	
Q	76 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	VERT	20-1118.13	15	
R	38 * 72	21-0526.02	65.0	80.0	80.0	38.9	42.3	NO	NO	N/A			
S	38 * 16	22-0105.01	80.0	80.0	80.0	40.6	44.0	NO	NO	N/A			
T	27 * 72	21-0526.02	65.0	80.0	80.0	38.9	52.7	NO	NO	N/A			
U	27 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
V	54 * 72	21-0526.02	65.0	80.0	80.0	38.0	49.1	NO	NO	N/A			
W	54 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
X	27 * 72	21-0526.02	65.0	80.0	80.0	38.9	52.7	NO	NO	N/A			
Y	27 * 16	22-0105.01	80.0	80.0	80.0	40.6	54.3	NO	NO	N/A			
Z	24 * 48	22-0105.01	80.0	80.0	80.0	40.6	44.0	NO	NO	N/A			
D1	192 * 96	20-1015.00	38.0	33.8	33.8	40.9	40.9	NO	NO	N/A			
D2	72 * 96	F2070.6	50.0	55.0	55.0	36.4	39.9	NO	NO	N/A			
D3	148 * 96	22-0118.05	60.0	60.0	60.0	34.6	42.4	NO	NO	N/A			



JUN 06 2023

Approval by A/E of Record

Rev 05/03/21